

THESE IMAGES ARE FOR GUIDE PURPOSE ONLY, ACTUAL RESULTS MAY VARY DEPENDING ON AMBIENT LIGHT FACTORS.

ALL PRODUCTS ARE PATENTED AND PROPERTY OF PUTCO®

MOST POWERFUL.

Through technology using Japanese micro capacitors we have been able to introduce a smaller integrated antiflicker circuit built directly into the driver, eliminating the need for an external CANBUS module. Paired with our patented woven heat sink, the Nitro Lux® fog light kit is the best choice for any application. This fog light kit provides the same cool white color temperature that our previous generations offered with many new updated features to nearly every aspect of the fog light kit. The Nitro Lux kit is the culmination of all the experience and technology learned from previous generations of LED fog light kits wrapped into one new cutting edge bulb.



ALL NEW DRIVER BOX

UPGRADED TECH · MINIATURIZED PARTS

Putco's anti-flicker* driver box is completely sealed with Tough Seal™ 22 potting to ensure our driver is 100% waterproof. To make our driver box even better we incorporated all new miniaturized capacitors to reduce the size of our driver box by 30%. All with braided 10mil PET mono-filament braided sleeves to protect wires from abrasion and heat.

* Flicker kit still required on Ram Trucks



Non-reflective nickel finish to eliminate light ray interference inside lamp housing.

ATC THERMAL CONTROL

Our patented flexible heat-sink is the most advanced heat management system available on the market. Our solid state design is scientifically proven to maximize performance and the bulbs life span through superior heat mitigation.



Our new built in clock-able collar design allows for quick and easy adjustment of the light beam. This allows you to point the angle of the beam exactly where you need it.



No moving parts means a stronger design and more reliable product.



Patents: #9,243,796 • #9,995,473, • #2,949,618

PRODUCT PACKAGING



FEATURES

- · 6500K color temperature.
- · 5000 lumens (per kit).
- Putco's most powerful bulb ever designed for maximum down-road punch.
- Fully anodized non-reflective nickel finish to eliminate light ray interference inside lamp.
- NEW Built in collar design allows for quick and easy adjustment of light beam.
- Our new Nitro-Lux™ LED is even slimmer with an industry leading footprint to fit into modern minimal housing space.
- Exclusive solid state design for maximum performance, long life, and superior scientifically proven heat mitigation.
- · Tough Seal™ 22 potting / 100% waterproof
- NEW miniature capacitors eliminate external anti-flicker module, reduces size of driver box by 30%
- · Perfect fitments with existing OEM harness.
- Twist lock & slide pressure locks for OEM guarantee flawless contact points.
- · 2 Year Warranty

WHAT'S INCLUDED

thats cut specific to the product's shape.

LED BULBS

2x Nitro Lux LED Foglight

LED DRIVERS

2x anti-flicker* driver box

CABLE & WIRING

Nylon-braided cable w/ Plug-n-play connector

WARRANTY

2 Year

COMPATIBILITY

FOG LIGHTS

H7 / H8 / H9 / H10 / H16 (Type2)

TECH SPECS

LED EMITTERS

CSP LED Chips

COLOR TEMP

6500K

INTENSITY

5000 lumens (raw; per bulb)

INPUT POWER

24w (per bulb)

INPUT RANGE

12-24V DC

CURRENT DRAW

2A 12V DC

HEAT SINK DEPTH

20MM

APPLICATION GUIDE

| NUMBER | | APPLICATION | | BULB TYPE | | BULB Color | LUMENS | KELVIN SCALE |
|---------------|--------|--------------------------------------|---------------|-----------|------|---------------|--------|-----------------|
| NITRO-LUX | | | | | | | | |
| 700008 | | Nitro-Lux - H9 / H8 - Pair | | H9 / H8 | | White | 5000LM | 6500K |
| 700010 | 100 | Nitro-Lux - H10 - Pair | | H10 | 19.4 | White | 5000LM | 6500K |
| 700016 | | Nitro-Lux - H16 - Pair | | H16 | | White | 5000LM | 6500K |
| NITRO-LUX - S | INGLES | | | | | | | |
| 700008-S | | Nitro-Lux - H9 / H8 - Single | | H9 / H8 | | White | 5000LM | 6500K |
| 700010-S | | Nitro-Lux - H10 - Single | | H10 | A. | White | 5000LM | 6500K |
| 700016-S | | Nitro-Lux - H16 - Single | | H16 | | White | 5000LM | 6500K |
| NITRO PRO-LU | X ZERO | | | | | | | |
| 700008PZ | | Nitro Pro-Lux Zero LED Kit - H9 / H8 | | H9 / H8 | | White | 5000LM | 6500K |
| 700010PZ | 100 | Nitro Pro-Lux Zero LED Kit - H10 | A 120 * 9 * 7 | H10 | | White | 5000LM | 6500K |